

W73606 E-PHOTO® Lustre 135 gsm D

Product specification*

Caliper	µm	135	± 6
Weight	gsm	135	± 6
Colour	alpine white		
Printability	both sides		
CIE whiteness (D65 / 10°)	> 133		
Opacity	%	> 95	
Standard sheet format	32 x 46 cm LG, further formats on demand		
Standard roll formats	width: 33 cm, further formats on demand		

photo books, company reports, brochures
cookery books, flyers, menu cards,

Properties

original photo lustre surface, excellent runnability und toner adhesion
high whiteness, water-resistant and dirt-repellent, superb folding and creasing properties

Compatible printers

certified for HP Indigo sheet presses



Directions for use: Store material only in original packaging under normal climatic conditions (23°, 50% RH).

Protect material from direct sun radiation. It is recommended to adapt the paper to indoor climate

24 hours before usage.

* All possible modifications are reserved

Felix Schoeller Imaging / product spezification / may 2012

www.Felix-Schoeller.com





Felix Schoeller

DIGITAL MEDIA

W70606 E-PHOTO® Lustre 190 gsm D

Product specification*

Caliper	µm	188	± 6
Weight	gsm	190	± 6
Colour	alpine white		
Printability	both sides		
CIE whiteness (D65 / 10°)	> 135		
Opacity	%	> 95	
Standard sheet format	32 x 46 cm LG, further formats on demand		

Applications

photo books, photo calendars, portraits, posters, company reports, corporate and product brochures, cookery books, flyers, greeting cards and post cards, menu cards, autograph cards, placemats

Properties

original photo lustre surface, excellent runnability und toner adhesion
high whiteness, water-resistant and dirt-repellent, superb folding and creasing properties

Compatible printers

certified for HP Indigo sheet presses



Directions for use: Store material only in original packaging under normal climatic conditions (23°, 50% RH).

Protect material from direct sun radiation. It is recommended to adapt the paper to indoor climate

24 hours before usage.

* All possible modifications are reserved

Felix Schoeller Imaging / product spezification / may 2012

www.Felix-Schoeller.com



W70706 E-PHOTO® Lustre 260 gsm D

Product specification*

Caliper	µm	247	± 6
Weight	gsm	260	± 6
Colour	alpine white		
Printability	both sides		
CIE whiteness (D65 / 10°)	> 146		
Opacity	%	> 95	
Standard sheet format	32 x 46 cm LG, further formats on demand		

Applications

photo books, photo calendars, portraits, posters, company reports, corporate and product brochures, cookery books, flyers, greeting cards and post cards, menu cards, autograph cards, placemats

Properties

original photo lustre surface, excellent runnability und toner adhesion
high whiteness, water-resistant and dirt-repellent, superb folding and creasing properties

Compatible printers

certified for HP Indigo sheet presses



Directions for use: Store material only in original packaging under normal climatic conditions (23°, 50% RH).

Protect material from direct sun radiation. It is recommended to adapt the paper to indoor climate

24 hours before usage.

* All possible modifications are reserved

Felix Schoeller Imaging / product spezification / may 2012

www.Felix-Schoeller.com





Felix Schoeller

DIGITAL MEDIA

W71606 E-PHOTO® Lustre 290 gsm D

Product specification*

Caliper	µm	285	± 6
Weight	gsm	280	± 6
Colour	natural white		
Printability	both sides		
CIE whiteness (D65 / 10°)	> 104		
Opacity	%	> 95	
Standard sheet format	32 x 46 cm LG, further formats on demand		

Applications

business cards, company reports, covers product brochures and cookery books, flyers, greeting cards and post cards, menu cards, autograph cards, placemats

Properties

original photo lustre surface, excellent runnability und toner adhesion
high whiteness, water-resistant and dirt-repellent, high stiffness combined with superb folding and creasing properties

Compatible printers

certified for HP Indigo sheet presses

Directions for use: Store material only in original packaging under normal climatic conditions (23°, 50% RH).

Protect material from direct sun radiation. It is recommended to adapt the paper to indoor climate

24 hours before usage.

* All possible modifications are reserved

Felix Schoeller Imaging / product spezification / may 2012

www.Felix-Schoeller.com



W70906 E-PHOTO® Glossy 260 gsm D

Product specification*

Caliper	µm	247	± 6
Weight	gsm	260	± 6
Colour	alpine white		
Printability	both sides		
CIE whiteness (D65 / 10°)	> 146		
Opacity	%	> 95	
Standard sheet format	32 x 46 cm LG, further formats on demand		

Applications

photo books, photo calendars, portraits, posters, company reports, corporate and product brochures, cookery books, flyers, greeting cards and post cards, menu cards, autograph cards, placemats

Properties

smooth glossy surface, excellent runnability und toner adhesion
high whiteness, water-resistant and dirt-repellent, superb folding and creasing properties

Compatible printers

certified for HP Indigo sheet presses

Directions for use: Store material only in original packaging under normal climatic conditions (23°, 50% RH).

Protect material from direct sun radiation. It is recommended to adapt the paper to indoor climate

24 hours before usage.

* All possible modifications are reserved

Felix Schoeller Imaging / product spezification / may 2012

www.Felix-Schoeller.com



W71306 E-PHOTO® Matt 190 gsm D

Product specification*

Caliper	µm	180	± 6
Weight	gsm	185	± 6
Colour	alpine white		
Printability	both sides		
CIE whiteness (D65 / 10°)	> 148		
Opacity	%	> 91	
Standard sheet format	32 x 46 cm LG, further formats on demand		

Applications

photo books, photo calendars, portraits, posters, company reports, corporate and product brochures, cookery books, flyers, greeting cards and post cards, menu cards, autograph cards, placemats

Properties

reflection-free matt surface, excellent runnability und toner adhesion
high whiteness, water-resistant and dirt-repellent, superb folding and creasing properties

Compatible printers

certified for HP Indigo sheet presses

Directions for use: Store material only in original packaging under normal climatic conditions (23°, 50% RH).

Protect material from direct sun radiation. It is recommended to adapt the paper to indoor climate

24 hours before usage.

* All possible modifications are reserved

Felix Schoeller Imaging / product spezification / may 2012

www.Felix-Schoeller.com



W71206 E-PHOTO® Matt 260 gsm D

Product specification*

Caliper	µm	247	± 6
Weight	gsm	260	± 6
Colour	alpine white		
Printability	both sides		
CIE whiteness (D65 / 10°)	> 148		
Opacity	%	> 95	
Standard sheet format	32 x 46 cm LG, further formats on demand		

Applications

photo books, photo calendars, portraits, posters, company reports, corporate and product brochures, cookery books, flyers, greeting cards and post cards, menu cards, autograph cards, placemats

Properties

reflection-free matt surface, excellent runnability und toner adhesion
high whiteness, water-resistant and dirt-repellent, superb folding and creasing properties

Compatible printers

certified for HP Indigo sheet presses

Directions for use: Store material only in original packaging under normal climatic conditions (23°, 50% RH).

Protect material from direct sun radiation. It is recommended to adapt the paper to indoor climate

24 hours before usage.

* All possible modifications are reserved

Felix Schoeller Imaging / product spezification / may 2012

www.Felix-Schoeller.com



W51706 E-PHOTO® Metallic Silver 210 gsm D

Product specification*

Caliper	µm	203	± 6
Weight	gsm	210	± 6
Colour	Metallic Silver		
Printability	both sides		
CIE whiteness (D65 / 10°)	> 145		
Opacity	%	> 92	
Standard sheet format	32 x 46 cm LG, further formats on demand		

Applications

photo books, photo calendars, portraits, posters, company reports, corporate and product brochures, cookery books, flyers, greeting cards and post cards, menu cards, autograph cards, placemats

Properties

brilliant metallic effect, excellent runnability und toner adhesion
high whiteness, water-resistant and dirt-repellent,
superb folding and creasing properties

Compatible printers

certified for HP Indigo sheet presses

Directions for use: Store material only in original packaging under normal climatic conditions (23°, 50% RH).

Protect material from direct sun radiation. It is recommended to adapt the paper to indoor climate

24 hours before usage.

* All possible modifications are reserved

Felix Schoeller Imaging / product spezification / may 2012

www.Felix-Schoeller.com



The mark of
responsible forestry

W50706 E-PHOTO® Metallic Silver 280 gsm D

Product specification*

Caliper	µm	264	± 6
Weight	gsm	280	± 6
Colour	Metallic Silver		
Printability	both sides		
CIE whiteness (D65 / 10°)	> 145		
Opacity	%	> 97	
Standard sheet format	32 x 46 cm LG, further formats on demand		

Applications

photo books, photo calendars, portraits, posters, company reports, corporate and product brochures, cookery books, flyers, greeting cards and post cards, menu cards, autograph cards, placemats

Properties

brilliant metallic effect, excellent runnability und toner adhesion
high whiteness, water-resistant and dirt-repellent,
superb folding and creasing properties

Compatible printers

certified for HP Indigo sheet presses

Directions for use: Store material only in original packaging under normal climatic conditions (23°, 50% RH).

Protect material from direct sun radiation. It is recommended to adapt the paper to indoor climate

24 hours before usage.

* All possible modifications are reserved

Felix Schoeller Imaging / product spezification / may 2012

www.Felix-Schoeller.com





Felix Schoeller

DIGITAL MEDIA

W90506 E-PHOTO® HP Professional Lustre 225 D

Produktspezifikation / product specification*

Gewicht / weight	225 g/m ²	± 6
Dicke / caliper	212 µm	± 6
Farbe / color	alpine white	
Bedruckbarkeit / printability	beidseitig / both sides (backside with matt surface)	
CIE Weiße / CIE whiteness	> 145	
Opazität / opacity	> 91%	
Bogenformat / sheet format	32 x 46 cm Schmalbahn / long grain	
Rollenformat / roll format	Breite / width: 33 cm (weitere Formate auf Anfrage / further formats on demand)	
Anwendungen / applications	Fotobücher, Fotokalender, Porträts, Poster, Geschäftsberichte, Produktbroschüren, Kochbücher, Flyer, Grußkarten photo books, photo calendars, portraits, posters, company reports, corporate and product brochures, cookery books	
Eigenschaften / properties	original Foto Lustre Oberfläche, exzellente Laufeigenschaften und Tonerhaftung, hohe Weiße, wasser- und schmutzresistent original photo lustre surface, excellent runnability und toner adhesion, high whiteness, water-resistant and dirt-repellent	
Kompatibilität / compatibility	entwickelt für HP Indigo developed for HP Indigo	

Verwendungshinweise:

Material nur in Originalverpackung aufbewahren. Möglichst im Standardklima (23°, 50 % rel. Feuchte) lagern.

Vor direktem Sonnenlicht schützen. Es wird empfohlen, das Papier vor Gebrauch 24 Stunden lang dem Raumklima anzupassen.

Directions for use:

Store material only in original packaging under normal climatic conditions (23°, 50% RH). Protect material from direct sun radiation. It is recommended to adapt the paper to indoor climate 24 hours before usage.

* Technische Änderungen vorbehalten / all possible modifications are reserved.

Version: 09/2013

www.Felix-Schoeller.com



Felix Schoeller

DIGITAL MEDIA

W91806 E-PHOTO® HP Professional Pyramid 240 S

Produktspezifikation / product specification*

Gewicht / weight	238 g/m ²	± 6
Dicke / caliper	234 µm	± 6
Farbe / color	alpine white	
Bedruckbarkeit / printability	einseitig / one side	
CIE Weiße / CIE whiteness	> 145	
Opazität / opacity	> 93,8 %	
Bogenformat / sheet format	32 x 46 cm Schmalbahn / long grain	
Rollenformat / roll format	Breite / width: 33 cm (weitere Formate auf Anfrage / further formats on demand)	
Anwendungen / applications	Fotobücher, Fotokalender, Porträts, Poster, Geschäftsberichte, Produktbroschüren, Kochbücher, Flyer, Grußkarten photo books, photo calendars, portraits, posters, company reports, corporate and product brochures, cookery books, flyers	
Eigenschaften / properties	einseitig geprägte Oberfläche, exzellente Laufeigenschaften und Tonerhaftung, hohe Weiße, wasser- und schmutzresistent one-sided embossed surface, excellent runnability and toner adhesion, high whiteness, water-resistant and dirt-repellent	
Kompatibilität / compatibility	entwickelt für HP Indigo developed for HP Indigo	

Verwendungshinweise:

Material nur in Originalverpackung aufbewahren. Möglichst im Standardklima (23°, 50 % rel. Feuchte) lagern.

Vor direktem Sonnenlicht schützen. Es wird empfohlen, das Papier vor Gebrauch 24 Stunden lang dem Raumklima anzupassen.

Directions for use:

Store material only in original packaging under normal climatic conditions (23°, 50% RH). Protect material from direct sun radiation. It is recommended to adapt the paper to indoor climate 24 hours before usage.

* Technische Änderungen vorbehalten / all possible modifications are reserved.

Version: 09/2013

www.Felix-Schoeller.com

